

| L Number | Hits | Search Text | DB | Time stamp |
|----------|---------|--|---|------------------|
| 1 | 6 | ((("20020079565") or ("6055460") or ("6366873"))).PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/31 12:09 |
| 2 | 2 | ("20020079465").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/31 12:09 |
| - | 7605 | (438/14 or 438/17 or 438/527 or 257/e21.521 or 257/e21.525 or 257/e21.529 or 257/e21.531).ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/31 12:05 |
| - | 287639 | implant\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:15 |
| - | 49122 | sheet adj5 resistanc\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 14:50 |
| - | 948535 | over\$1lap\$5 or over adj2 lap\$5 or boundar\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 14:53 |
| - | 249 | (test\$4 or check\$4 or verif\$8 or confirm\$7) with implant\$6 with energy | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:17 |
| - | 31 | implant\$6 and (sheet adj5 resistanc\$4) and ((test\$4 or check\$4 or verif\$8 or confirm\$7) with implant\$6 with energy) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 14:56 |
| - | 17 | (over\$1lap\$5 or over adj2 lap\$5 or boundar\$4) and (implant\$6 and (sheet adj5 resistanc\$4) and ((test\$4 or check\$4 or verif\$8 or confirm\$7) with implant\$6 with energy)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 14:56 |
| - | 4993300 | (sheet adj5 resistanc\$4) or rs or "r.sub.s" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:14 |
| - | 53397 | measur\$5 with ((sheet adj5 resistanc\$4) or rs or "r.sub.s") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:44 |
| - | 287639 | implant\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:15 |
| - | 1561425 | energy or dose | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:15 |
| - | 3647 | (measur\$5 with ((sheet adj5 resistanc\$4) or rs or "r.sub.s")) and implant\$6 and (energy or dose) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:16 |

| | | | | |
|---|--------|---|---|------------------|
| - | 646 | (test\$4 or check\$4 or verif\$8 or confirm\$7) with implant\$6 with (energy or dose) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:18 |
| - | 63 | ((measur\$5 with ((sheet adj5 resistanc\$4) or rs or "r.sub.s")) and implant\$6 and (energy or dose)) and ((test\$4 or check\$4 or verif\$8 or confirm\$7) with implant\$6 with (energy or dose)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:51 |
| - | 45478 | (twin or double or tripple or multi or multiple) adj5 well | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:43 |
| - | 114721 | (measur\$7 or determin\$7) with ((sheet adj5 resistanc\$4) or rs or "r.sub.s") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:51 |
| - | 2730 | (sheet adj5 resistanc\$4) same ((over\$1lap\$5 or over adj2 lap\$5 or boundar\$4) or junction) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:46 |
| - | 3 | ((twin or double or tripple or multi or multiple) adj5 well) and ((measur\$7 or determin\$7) with ((sheet adj5 resistanc\$4) or rs or "r.sub.s")) and ((sheet adj5 resistanc\$4) same ((over\$1lap\$5 or over adj2 lap\$5 or boundar\$4) or junction)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:46 |
| - | 114 | ((438/14 or 438/17 or 438/527 or 257/e21.521 or 257/e21.525 or 257/e21.529 or 257/e21.531).ccls.) and implant\$6 and (sheet adj5 resistanc\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:49 |
| - | 66 | ((438/14 or 438/17 or 438/527 or 257/e21.521 or 257/e21.525 or 257/e21.529 or 257/e21.531).ccls.) and implant\$6 and (sheet adj5 resistanc\$4)) and ((measur\$7 or determin\$7) with ((sheet adj5 resistanc\$4) or rs or "r.sub.s")) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:51 |
| - | 55 | ((438/14 or 438/17 or 438/527 or 257/e21.521 or 257/e21.525 or 257/e21.529 or 257/e21.531).ccls.) and implant\$6 and (sheet adj5 resistanc\$4)) and ((measur\$7 or determin\$7) with ((sheet adj5 resistanc\$4) or rs or "r.sub.s"))) not ((measur\$5 with ((sheet adj5 resistanc\$4) or rs or "r.sub.s")) and implant\$6 and (energy or dose)) and ((test\$4 or check\$4 or verif\$8 or confirm\$7) with implant\$6 with (energy or dose)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/26 15:51 |